
Functions – Quick Reference

Function Notation can be written as:

f(x) = 3x+2 this translates to: "f of x" equals 3x+2" g(x) = 3x-1 this translates to: "g of x equals 3x - 1"


Identifying Functions using the Vertical Line Test

If a graph represents a function, that graph will only intersect with a $\,$ vertical line one time.



When vertical lines are drawn through this graph, each vertical line touches the graph only one time.

This graph represents a function.



When vertical lines are drawn through this graph, each vertical line touches the graph more than once.

This graph does not represent a function.

Evaluating Functions

f(x) = 6x - 1	Find f(5)	Original Problem
$f(\mathbf{x}) = 6x - 1$	↓ Find f(5) ← I	Notice how 5 replaces the x in the function notation.
f(5) = 6(5) -1	Substitute 5 for x in the original function.	
f(5) = 29	Evaluate! This is y	your answer!
This answer means that if you substitute 5 for x , into this function, you will get an answer of 29! You "used" to write: $y = 29$. Now, in place of y , you will use $f(5)$.		

**(The 5 can be replaced with whatever number you substitute into the equation.)

Copyright © 2012 Algebra-class.com

Linear Functions

Function notation can be confusing, but once you can identify the x and y coordinate, you can think of your typical ordered pair.

A typical ordered pair: (2,5) where (2,5)

An ordered pair using function notation: f(2) =5


f(x) = y coordinate

Quadratic Functions

Quadratic Functions will have a "squared term"

 $f(x) = \frac{ax^2 + bx + c}{x^2 + 3x + 4}$ coefficients constant coefficients constant

A quadratic function will result in a "parabola" when graphed.



**If the lead coefficient is positive, then the parabola will open up. Example: $3x^2 + 2x - 5$ (3 is positive)
**If the lead coefficient is negative, then the parabola will open down. Example: $-2x^2 + 2x - 5$ (2 is negative)

Vertex Formula

Given the function: $f(x) = ax^2 + bx + c$

Vertex Formula: $\frac{-\mathbf{b}}{2a}$

(The opposite of b divided by 2 times